Bengaluru E9 Sub-Division

Receipt Number 993957844082
Reciept Date 27-04-2015 15:29:25
Cash Counter BESCON - E9 SDO Cash Counter HRT
Payor Account ID 9939578757
Person Name
RR Number
Total Payment Rs7,560.00
Mode of pay Cash
Purpose Deposits
Non Revenue category2MMD-FEE

Seven Thousand Five Hundred Sixty Rupees Only

THANK YOU

TAX INVOICE

andis+Gyr Limited

ಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

Branch Office
O/o Asst. Executive Engineer, (Ele)
Lingarajapura O & M Unit, BESCOM
E5 Sub-Division, HBR Layout, 3rd Block,
80 Ft. Road, Opp. BDA Complex, Bangalore.

. P.
Hals
e,

BILL No. **AE** 60461

DATE : 29/04/15 . TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

otion	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
eter Type ZCE, 5-30 Amps 3ph Sl. Nos. CO. 155750.	0-1	21384	21384	84
		VAT @ 14.5 %	3099	55
		GRAND TOTAL	24483	39

Name of Company BESCOM DVN. B-9
W.O. No. A-36610. Date 27/04/15

E.&O.E.

For **Landis+Gyr Limited.**

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ನಿ.)

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
O/o Asst. Executive Engineer, (Ele)
Lingarajapura O & M Unit, BESCOM
E5 Sub-Division, HBR Layout, 3rd Block,
80 Ft. Road, Opp. BDA Complex, Bangalore.

Name AEE BBMP.

Address Rachana Hall

B.lore.

BILL No. **AE** 60461

DATE : 29/04/15 . TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type ZCE, 5-30 Amps 3ph Sl. Nos. CO. 155750.	0-1	2134-84	2134-84	
			VAT @ 14.5 %	309-55	
			GRAND TOTAL	2444-39	

Name of Company BESCOM DVN. B-9

W.O. No. A-36610. Date 27/04/15

E.&O.E.

For **Landis+Gyr Limited.**

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ಸ.)

B'lore ..... ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

ಕ್ರ.ಸಂ.ಸ.ಕಾ.ನಿ.ಎಂ.(ವಿ) :: ಸ.ಎಂ.(ತಾಂ) :

(ಅಂಚೆಯ ಮೂಲಕ ಮಾತ್ರವೇ ಕಳುಹಿಸತಕ್ಕದ್ದು)

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ.)ರವರ ಕಛೇರಿ

E9 ..... ಉಪವಿಭಾಗ,

BJR ..... ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

NJ .....

ದಿನಾಂಕ 23/4/15

ಗೆ,

AEE BBMP
Amar Jyothi L/O
Rachenahalli, Blore

09
23/4 N/S

ಮಾನ್ಯರೇ,

ನಿಮ್ಮ ಸ್ಥಾವರಕ್ಕೆ ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿ

ಈ ಪತ್ರಕ್ಕೆ ನಮ್ಮ ಕಚೇರಿಯ 09 ದಿನಾಂಕದ 23/4/15 ಸಂಖ್ಯೆಯ ಪತ್ರದ ಉಲ್ಲೇಖವಿದೆ. ಈ ಮೂಲಕ ತಮಗೆ ತಿಳಿಯಪಡಿಸುವುದೇನೆಂದರೆ, ಕೆಳಕಂಡ ನಿಬಂಧನೆಗಳ ಪ್ರಕಾರ ನಿಮಗೆ — ಅ.ಶ. 12HP ಕಿ.ವಾ. ಗಳಿಗೆ ಮಾತ್ರ ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿ/ಹೆಚ್ಚುವರಿ ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿ ನೀಡಿದೆ.

1. ವಿದ್ಯುತ್‌ನ್ನು ಒಂದು ಫೇಸ್, 230ವೋಲ್ಟ್ : ಮೂರು ಫೇಸ್, 400 ವೋಲ್ಟ್‌ಗಳಲ್ಲಿ ಸರಬರಾಜು ಮಾಡಲಾಗುತ್ತದೆ.
2. ಹಾಲಿ ತಮ್ಮ ಸ್ಥಾವರಕ್ಕೆ ಅನ್ವಯಿಸುವ ವಿದ್ಯುತ್ ಜಕಾತಿಯು LT6 ಆಗಿರುತ್ತದೆ.
3. ನೀವು — ಆರ್.ಕೆ.ವಿ.ಎ. ಸಾಮರ್ಥ್ಯದ ಎಲ್.ಟಿ. ಕೆಪಾಸಿಟರ್‌ನ್ನು ಅಳವಡಿಸಬೇಕು.
4. ನೀವು — ಅಂಪೇರ್ ಸಾಮರ್ಥ್ಯದ ವಿದ್ಯುತ್ ಪ್ರವಾಹದ ಮಿತಕ (ಲಿಮಿಟರ್)ನ್ನು ಅಳವಡಿಸುವುದು.
5. ನೀವು — ಅಂಪೇರ್ ಸಾಮರ್ಥ್ಯದ ಅರ್ತ್ ಲೀಕೇಜ್ ಸರ್ಕ್ಯೂಟ್ ಬ್ರೇಕರನ್ನು ಹಾಕಿಸತಕ್ಕದ್ದು. (30ma (ಮಿಲಿ ಅಂಪಿಯರ್) ಸೋರುವಿಕೆ ಪತ್ತೆ ಮಾಡುವ)
6. ನಿಮಗೆ ಸೂಚಿಸಿರುವ ಮಾರ್ಗದಲ್ಲಿ ..... ಗಾತ್ರದ ಭೂಗತ ಕೇಬಲ್: ಓವರ್ ಹೆಡ್ ಸೇವಾ ಸಂಪರ್ಕವನ್ನು ಹಾಕಿಸತಕ್ಕದ್ದು.
7. ಈ ಕೆಳಕಂಡ ಶುಲ್ಕ: ಠೇವಣಿಯನ್ನು ಪಾವತಿಸತಕ್ಕದ್ದು:
   (ಅ) ಮೂರು ತಿಂಗಳ ಕನಿಷ್ಠ ಠೇವಣಿ ರೂ. 2MMD- 7560X1
   (ಆ) ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. .....
   (ಇ) ಅಂದಾಜು ವೆಚ್ಚ ರೂ. .....
   (ಈ) ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. .....
8. ನೀವು ಅನುಮತಿ ಪಡೆದ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರಿಂದ ಪಡೆದ ಕಾರ್ಯಸಮಾಪನ ಮತ್ತು ಪರೀಕ್ಷಾ ವರದಿಯ ಜೊತೆಗೆ ದ್ವಿಪ್ರತಿಯಲ್ಲಿ ವೈರಿಂಗ್ ನಕ್ಷೆಯನ್ನು ಹಾಜರುಪಡಿಸತಕ್ಕದ್ದು. ಜೊತೆಗೆ ನೀವು ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರ ಚಾಲ್ತಿಯಲ್ಲಿರುವ ಅನುಮತಿ ಪ್ರತಿಯನ್ನೂ ಹಾಜರುಪಡಿಸತಕ್ಕದ್ದು.
9. ನೀವು ರಸ್ತೆ ಅಗೆಯುವ ಅಪ್ಪಣೆ ಪತ್ರವನ್ನು ..... ರವರಿಂದ ಪಡೆದು ಸಲ್ಲಿಸಬೇಕಾಗಿದೆ.
10. ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ದ್ವಿಪ್ರತಿಯಲ್ಲಿ ಒಪ್ಪಂದದ ಪತ್ರಗಳನ್ನು ಸಲ್ಲಿಸತಕ್ಕದ್ದು. (ಅದರಲ್ಲಿ ಒಂದಕ್ಕೆ ಸೂಕ್ತ ಸ್ಟಾಂಪ್ ಹಾಕಿರಬೇಕು)
11. ವಿತರಣಾ ಮಾರ್ಗದ ಕೇಬಲ್‌ನ ವಿಸ್ತರಣೆ ಆದ ನಂತರ ವಿದ್ಯುತ್ ಸರಬರಾಜಿಗೆ ವ್ಯವಸ್ಥೆ ಮಾಡಲಾಗುವುದು. ಮೇಲಿನ ಎಲ್ಲಾ ಅವಶ್ಯಕ ನಿಬಂಧನೆಗಳೂ ಈ ಪತ್ರದ ದಿನಾಂಕದಿಂದ ~~ಹನ್ನೆರಡು~~ ತಿಂಗಳುಗಳ ಒಳಗಾಗಿ ಈಡೇರಿಸಬೇಕು. ಈ ನಿಟ್ಟಿನಲ್ಲಿ ವಿಫಲವಾದರೆ, ವಿದ್ಯುತ್ ಮಂಜೂರಾತಿಯು ತನ್ ತಾನೇ ರದ್ದಾಗುತ್ತದೆ ಮತ್ತು ಪಾವತಿ ಮಾಡಿರುವ ಠೇವಣಿಯನ್ನು ನಿಗಮಕ್ಕೆ ಮುಟ್ಟುಗೋಲು ಹಾಕಿಕೊಳ್ಳಲಾಗುತ್ತದೆ.

ತಮ್ಮ ವಿಶ್ವಾಸಿ

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ನಿ.)

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ)
ಬೆಸ್ಕಾಂ, ಸಂ. E9, ನಾಗವಾರ ಉಪವಿಭಾಗ
ಆರ್.ಪಿ.ಸಿ. ಬಡಾವಣೆ, ಹೊರಮಾವು
ಸ್ಟೋರ್ ರೂಮ್, ಹೊರ ವರ್ತುಲ ರಸ್ತೆ

GROUND WATER SURVEY REPORT

~~OPEN WELL~~ / BOREWELL
DATA OF SURVEY

a) Name of the Party : A.E.E, BBMP

b) Location of the Site : Byatarayana Pura Sub Division

c) Area of the land : Ashwath Nagara.
Ambraj Jyothi Layout

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : hm lying, Red pmc, sandy soil, gneiss

2) Recommended Site for drilling : W1

3) Total depth to be drilled : 800'-970'

4) Approx. casing pipe required : 120'-136'

5) No. of water bearing Zones : — 5 —

6) No. of favourable spots marked : — 1 —

7) Qty. of water expected : 2 1/2" - 3"

8) Method of survey carried out : Geo-electrical method

9) Remarks : 6 1/2" dia drill at W1

Water source below
140'-850'

P.T.O. : *Terms & Conditions*

(telegram)

HYDROGEOLOGIST
(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN



GROUND WATER SURVEY REPORT

~~OPEN WELL~~/ BOREWELL

DATA OF SURVEY

a) Name of the Party : A.E.E, ~~KRWSS~~ Ward No-6

b) Location of the Site : Rachenahalli

c) Area of the land : Ward No. 06

INVESTIGATION REPORT

1) GEOLOGY OF THE AREA : Hornblende, Biotite gneiss, weathered and fractured

2) Recommended Site for drilling : W1

3) Total depth to be drilled : 800'-960'

4) Approx. casing pipe required : 120'-130'

5) No. of water bearing Zones : — 5 —

6) No. of favourable spots marked : — 1 —

7) Qty. of water expected : 2 1/2"-3"

8) Method of survey carried out : Geo-electrical resistivity method

9) Remarks : 6 1/2" dia drill at W1

Water source 140'-850'

P.T.O. : *Terms & Conditions*

HYDROGEOLOGIST

(M.G. RAJASHEKHAR, M.Sc., DEG., F.G.S.)

BOREWELL SITE PLAN